

DIVA



ItalianGelato
Concepts
dessert projects & equipment supply

DIVA 351



DIVA 351 Q

OPTIONAL: DRINK



OPTIONAL: DIVA-I



Standard color

Optional colors



C0D. 02



RAL

Pastry and Ice-Cream

DIVA 351 G



5 x wire shelves with adjustable height

DIVA 351 GS



5 x wire shelves with adjustable height

DIVA 351 Q



5 x crystal plates with adjustable height

DIVA 351 Q CIOCCO



5 x crystal plates with adjustable height
AIR-CONDITIONED for chocolate

DIVA 351 BTV



5 x wire shelves with adjustable height
NO-FROST system

DIVA 351 BTV BIS



5 x wire shelves with adjustable height
NO-FROST system

DIVA 351 BTQ



5 x crystal plates with adjustable height

DIVA 351 GBT



Static evaporator with fixed shelves.

OPTIONAL: RAL color

	°C	Lt.	mm LxPxH	N° - mm. STANDARD	Watt	% U.R.	DEFROST	H ₂ O			Kg.		
Diva 351 Q	+4/+10	350	595x645x1875	5 - 450x420	300	75		AUT		R290	152	Optional	LED Standard
Diva 351 Q Ciocco	+14/+16	350	595x645x1875	5 - 450x420	450	40/44		AUT		R600a	152	Optional	LED Standard
Diva 351 G	+4/+10	350	595x645x1875	5 - 450x420	300	75		AUT		R290	152	Optional	LED Standard
Diva 351 GS	+4/+10	350	595x645x1875	5 - 450x420	550	60		AUT		R290	140	Optional	LED Standard
Diva 351 BTV BIS	+5/-18	350	595x645x1875	5 - 450x420	540	70/40		AUT		R290	155	Optional	LED Standard
Diva 351 BTV	-15/-21	350	595x645x1875	5 - 450x420	540	40		AUT		R290	155	Optional	LED Standard
Diva 351 GBT	-10/-19	350	595x645x1875	6 - 470x470	420	40		AUT		R290	152	Optional	LED Standard
Diva 351 BTQ	-15/-21	350	595x645x1875	5 - 450x420	540	40		AUT		R290	155	Optional	LED Standard

Standard voltage: 230v/1/50Hz • Climatic class: MAX = (30°C - % U.R. 55)

DIVA 451



DIVA 451 GBT



OPTIONAL: DRINK



Only for DIVA Q:
Support for water version

OPTIONAL: DIVA-I



Built-in installation version with side and back in plastic laminate and sheet steel with special anti-corrosion treatment and mirror-like interior



GBT:
Static evaporator with fixed shelves (No. 5)
Wire shelf with adjustable height (No. 1)



OPTIONAL: RAL color

Standard color



COD. 02

Optional colors



RAL

Pastry and Ice-Cream

DIVA 451 G



5 x wire shelves with adjustable height

DIVA 451 R



5 x rotating glass shelves

DIVA 451 Q



5 x crystal plates with adjustable height

DIVA 451 Q CIOCCO



5 x crystal plates with adjustable height
AIR-CONDITIONED for chocolate

DIVA 451 GS



5 x wire shelves with adjustable

DIVA 451 BTV



5 x wire shelves with adjustable
height NO-FROST system

DIVA 451 BTV BIS



5 x wire shelves with adjustable
height NO-FROST system

	 °C	 Lt.	 LxPxH mm	 N° - mm. STANDARD	 Watt	 % U.R.	 DEFROST	 H ₂ O		 R290	 Kg.		
Diva 451 G	+4/+10	450	700x680x1875	5 mm. 555x450	400	75		AUT		R290	171	Optional	LED Standard
Diva 451 R	+4/+10	450	700x680x1875	5 Ø mm. 465	450	75		AUT		R290	173	Optional	LED Standard
Diva 451 Q	+4/+10	450	700x680x1875	5 mm. 555x460	400	75		AUT		R290	171	Optional	LED Standard
Diva 451 Q Ciocco	+14/+16	450	700x680x1875	5 mm. 555x460	540	40/44		AUT		R600a	171	Optional	LED Standard
Diva 451 GS	+4/+10	450	700x680x1875	5 mm. 555x450	420	60		AUT		R290	171	Optional	LED Standard
Diva 451 BTV BIS	+5/-18	450	700x680x1875	5 mm. 555x450	500	70/40		AUT		R290	197	Optional	LED Standard
Diva 451 BTV	-15/-21	450	700x680x1875	5 mm. 555x450	500	40		AUT		R290	197	Optional	LED Standard
Diva 451 GBT	-10/-19	450	700x680x1875	5 mm. 555x460 1 mm. 555x450	420	40		AUT		R290	180	Optional	LED Standard

Standard voltage: 230v/1/50Hz • Climatic class: MAX = (30°C - % U.R. 55)

DIVA 551



DIVA 551 G



OPTIONAL: DRINK



Only for DIVA Q:
Support for water version

OPTIONAL: DIVA-I



Built-in installation version with side and back in plastic laminate and sheet steel with special anti-corrosion treatment and mirror-like interior

Standard color



COD. 02

Optional colors



RAL

Pastry and Ice-Cream

DIVA 551 G

+4/+10



5 x wire shelves with adjustable height

DIVA 551 Q

+4/+10



5 x crystal plates with adjustable height

DIVA 551 Q CIOCCO

Climatizzata



5 x crystal plates with adjustable height

DIVA 551 GBT

-10/-19



Static evaporator with fixed shelves.

DIVA 551 BTV

-15/-21



5 x wire shelves with adjustable height -
NO-FROST system

DIVA 551 BTV BIS

+5/-18



5 x wire shelves with adjustable height -
NO-FROST system

	 °C	 Lt.	 LxPxH mm	 N° - mm. STANDARD	 Watt	 % U.R.	 DEFROST	 H ₂ O			 Kg.		
Diva 551 G	+4/+10	550	800x680x1875	5 mm. 652x470	400	75		AUT		R290	187	Optional	LED Standard
Diva 551 Q	+4/+10	550	800x680x1875	5 mm. 656x460	400	75		AUT		R290	190	Optional	LED Standard
Diva 551 Q Ciocco	+14/+16	550	800x680x1875	5 mm. 656x460	540	40/44		AUT		R600a	193	Optional	LED Standard
Diva 551 BTV	-15/-21	550	800x680x1875	5 mm. 664x450	500	40		AUT		R290	197	Optional	LED Standard
Diva 551 BTV BIS	+5/-18	550	800x680x1875	5 mm. 664x450	500	40		AUT		R290	197	Optional	LED Standard
Diva 551 GBT	-10/-19	550	800x680x1875	5 mm. 570x460 1 mm. 645x463	420	40		AUT		R290	197	Optional	LED Standard

Standard voltage: 230v/1/50Hz • Climatic class: MAX = (30°C - % U.R. 55)

DIVA 651



DIVA 651 BTV / DIVA 651 BTV BIS



OPTIONAL: DRINK



Only for DIVA Q:
Support for water version

OPTIONAL: DIVA-I



Built-in installation version with side and back in plastic laminate and sheet steel with special anti-corrosion treatment and mirror-like interior

Standard color

Optional colors



COD. 02



RAL

Pastry and Ice-Cream

DIVA 651 G

+4/+10



5 x wire shelves with adjustable height

DIVA 651 Q

+4/+10



5 x crystal plates with adjustable height

DIVA 651 GS

+4/+10



5 x wire shelves with adjustable height

DIVA 651 GBT

-10/-19



Static evaporator with fixed shelves

DIVA 651 BTV

-15/-21



5 x wire shelves with adjustable height -
NO-FROST system

DIVA 651 BTV BIS

+5/-18




5 x wire shelves with adjustable height -
NO-FROST system

	°C	Lt.	LxPxH mm	N° - mm. STANDARD	Watt	% U.R.	DEFROST	H ₂ O			Kg.		
Diva 651 G	+4/+10	650	900x680x1875	5 mm. 750x450	430	75		AUT		R290	197	Optional	LED Standard
Diva 651 Q	+4/+10	650	900x680x1875	5 mm. 745x460	430	75		AUT		R290	200	Optional	LED Standard
Diva 651 GS	+4/+10	650	900x680x1875	5 mm. 750x470	400	60		AUT		R290	203	Optional	LED Standard
Diva 651 GBT	-10/-19	650	900x680x1875	5 mm. 750x460 1 mm. 750x470	470	40		AUT		R290	205	Optional	LED Standard
Diva 651 BTV	-15/-21	650	900x680x1875	5 mm. 750x450	560	40		AUT		R290	204	Optional	LED Standard
Diva 651 BTV BIS	+5/-18	650	900x680x1875	5 mm. 750x450	550	70/40		AUT		R290	207	Optional	LED Standard


Standard voltage: 230v/1/50Hz • Climatic class: MAX = (30°C - % U.R. 55)

Pastry and Ice-Cream


DIVA 351




DIVA 451



DIVA 551




DIVA 651






MOD.		Kg			colour
	LxWxH mm		container n°(20°)	container n°(40°)	
DIVA 351 Q	770x770x2150	175	21	30	COD.02
DIVA 351 Q CIOCCO	770x770x2150	175	21	30	COD.02
DIVA 351 G	770x770x2150	174	21	30	COD.02
DIVA 351 GS	770x770x2150	174	21	30	COD.02
DIVA 351 BTV BIS	770x770x2150	210	21	30	COD.02
DIVA 351 BTV	770x770x2150	210	21	30	COD.02
DIVA 351 GBT	770x770x2150	185	21	30	COD.02
DIVA 351 BTQ	770x770x2150	185	21	30	COD.02
DIVA 451 G	770x770x2080	194	21	30	COD.02
DIVA 451 R	770x770x2080	196	21	30	COD.02
DIVA 451 Q	770x770x2080	194	21	30	COD.02
DIVA 451 Q CIOCCO	770x770x2150	220	21	30	COD.02
DIVA 451 GS	770x770x2080	194	21	45	COD.02
DIVA 451 GS	770x770x2080	194	21	30	COD.02
DIVA 451 GS	770x770x2080	194	21	30	COD.02
DIVA 451 GS	770x770x2080	194	21	30	COD.02
DIVA 451 BTV BIS	770x770x2080	220	21	30	COD.02
DIVA 451 BTV	770x770x2080	220	21	30	COD.02
DIVA 451 GBT	770x770x2080	203	21	30	COD.02
DIVA 551 G	960x700x2140	221	18	36	COD.02

MOD.		Kg			colour
	LxWxH mm		container n°(20°)	container n°(40°)	
DIVA 551 Q	960x700x2140	221	18	36	COD.02
DIVA 551 Q CIOCCO	960x700x2140	223	18	36	COD.02
DIVA 551 BTV	960x700x2140	245	18	36	COD.02
DIVA 551 BTV BIS	960x700x2140	245	18	36	COD.02
DIVA 551 GBT	960x700x2140	223	18	36	COD.02
DIVA 651 G	960x700x2140	248	18	36	COD.02
DIVA 651 Q	960x700x2140	248	18	36	COD.02
DIVA 651 GS	960x700x2140	228	18	36	COD.02
DIVA 651 GBT	960x700x2140	228	18	36	COD.02
DIVA 651 BTV	960x700x2140	230	18	36	COD.02
DIVA 651 BTV BIS	960x700x2140	248	18	36	COD.02
DIVA 901 GBT	1600x880x2330	370	6	14	COD.02
DIVA 901 BTV BIS	1600x880x2330	405	6	14	COD.02
DIVA 901 GBT-GS	1600x880x2330	390	6	14	COD.02
DIVA 901 GS-BTV	1600x880x2330	370	6	14	COD.02
DIVA 901 GBT-BTV	1600x880x2330	370	6	14	COD.02
DIVA 901 GS VU	1600x880x2330	395	6	14	COD.02
DIVA 901 G VU	1600x880x2330	355	6	14	COD.02
DIVA 901 BTV BIS VU	1600x880x2330	365	6	14	COD.02
DIVA 901 BTV VU	1600x880x2330	365	6	14	COD.02



Accessories			MOD.	
		colore colour color		
	Glass shelves kit (for every door)		DIVA 351 GBT	ACPX
			DIVA 451 GBT	X09006
			DIVA 551 GBT	X09038
			DIVA 651 GBT	X09007
			DIVA 901 GBT	X09006
			DIVA 901 GBT-BTV	X09006
			DIVA 901 GBT-GS	X09006


Optional Extras		MOD.
	Condensation H2O	DIVA 451 G
		DIVA 451 R
		DIVA 451 Q
		DIVA 451 Q CIOCCO
		DIVA 451 GS
		DIVA 451 BTV BIS
		DIVA 451 BTV
		DIVA 451 GBT
		DIVA 551 G
		DIVA 551 Q
		DIVA 551 Q CIOCCO


Pastry and Ice-Cream

Optional Extras		MOD.
	Condensation H2O	DIVA 551 BTV DIVA 551 BTV BIS DIVA 551 GBT DIVA 651 G DIVA 651 Q DIVA 651 GS DIVA 651 GBT DIVA 651 BTV DIVA 651 BTV BIS DIVA 901 GBT DIVA 901 BTV BIS DIVA 901 GBT-GS DIVA 901 GS-BTV DIVA 901 GBT-BTV DIVA 901 GS VU DIVA 901 G VU DIVA 901 BTV BIS VU DIVA 901 BTV VU
	WIFI and CLOUD	DIVA
	Potentiometer for light	DIVA
	Automatic defrosting with hot gas	DIVA 451 GS DIVA 651 GS DIVA 901 GBT-GS DIVA 901 GS-BTV DIVA 901 GS VU
	Support for water version	DRINK
	Glass with anti-fog treatment	Porta/Door
	Lock (for every door)	DIVA 351 Q DIVA 351 G DIVA 351 GS DIVA 351 BTV BIS DIVA 351 BTV DIVA 351 GBT DIVA 451 G DIVA 451 R DIVA 451 Q DIVA 451 Q CIOCCO DIVA 451 GS DIVA 451 BTV BIS DIVA 451 BTV DIVA 451 GBT DIVA 551 G

Pastry and Ice-Cream

Optional - Optionnel - Extra - Extras		MOD.
	Lock (for every door)	DIVA 551 Q DIVA 551 Q CIOCCO DIVA 551 BTV DIVA 551 BTV BIS DIVA 551 GBT DIVA 651 G DIVA 651 Q DIVA 651 GS DIVA 651 GBT DIVA 651 BTV DIVA 651 BTV BIS DIVA 901 GBT DIVA 901 BTV BIS DIVA 901 GBT-GS DIVA 901 GS-BTV DIVA 901 GBT-BTV DIVA 901 GS VU DIVA 901 G VU DIVA 901 BTV BIS VU DIVA 901 BTV VU
	Temperature for whipped cream, for positive compartment	DIVA 351 Q DIVA 351 G DIVA 451 G DIVA 451 R DIVA 451 Q DIVA 551 G DIVA 551 Q DIVA 651 G DIVA 651 Q
	Stainless steel wire shelf : 752x450 mm	DIVA 651 BTV BIS DIVA 651 GBT DIVA 651 GS
	Back mirror glasses	DIVA 351 Q DIVA 351 G DIVA 351 GS DIVA 351 BTV BIS DIVA 351 BTV DIVA 351 GBT DIVA 451 G DIVA 451 R DIVA 451 Q DIVA 451 Q CIOCCO DIVA 451 GS DIVA 451 BTV BIS DIVA 451 BTV DIVA 451 GBT DIVA 551 G DIVA 551 Q DIVA 551 Q CIOCCO DIVA 551 BTV DIVA 551 BTV BIS DIVA 551 GBT DIVA 651 G DIVA 651 Q DIVA 651 GS DIVA 651 GBT DIVA 651 BTV DIVA 651 BTV BIS DIVA 901 GBT DIVA 901 BTV BIS DIVA 901 GBT-GS DIVA 901 GS-BTV DIVA 901 GBT-BTV DIVA 901 GS VU DIVA 901 G VU

Optional Extras		MOD.
	Glasses suitable for altitude	DIVA 351 Q
		DIVA 351 G
		DIVA 351 GS
		DIVA 351 BTV BIS
		DIVA 351 BTV
		DIVA 351 GBT
		DIVA 451 G
		DIVA 451 R
		DIVA 451 Q
		DIVA 451 Q CIOCCO
		DIVA 451 GS
		DIVA 451 BTV BIS
		DIVA 451 BTV
		DIVA 451 GBT
		DIVA 551 G
		DIVA 551 Q
		DIVA 551 Q CIOCCO
		DIVA 551 BTV
		DIVA 551 BTV BIS
		DIVA 551 GBT
		DIVA 651 G
		DIVA 651 Q
		DIVA 651 GS
		DIVA 651 GBT
		DIVA 651 BTV
		DIVA 651 BTV BIS
	Side mirror glass	DIVA 351 Q
		DIVA 351 G
		DIVA 351 GS
		DIVA 351 BTV BIS
		DIVA 351 BTV
		DIVA 351 GBT
		DIVA 451 G
		DIVA 451 R
		DIVA 451 Q
		DIVA 451 Q CIOCCO
		DIVA 451 GS
		DIVA 451 BTV BIS
		DIVA 451 BTV
		DIVA 451 GBT
		DIVA 551 G
		DIVA 551 Q
		DIVA 551 Q CIOCCO
		DIVA 551 BTV
		DIVA 551 BTV BIS
		DIVA 551 GBT
		DIVA 651 G
		DIVA 651 Q
		DIVA 651 GS
		DIVA 651 GBT
		DIVA 651 BTV
		DIVA 651 BTV BIS

Optional -Extras		MOD.
	Kit Inverter	DIVA 451 BTV BIS
		DIVA 451 BTV
		DIVA 451 GBT
		DIVA 651 GBT
		DIVA 651 BTV
		DIVA 651 BTV BIS
	Self-closing doors	DIVA

Optional Extras		MOD.
	Supplement for door inversion	For information, please contact our export department
	Supplement for electric socket different than the standard	

Abbreviations Legend



COLD
ENGINEERING
TECFRIGO



ItalianGelato
Concepts

dessert projects & equipment supply

Italian Gelato Concepts Pty Limited Unit 1,
37 Mortimer Road
Acacia Ridge Qld 4110


Bris Office: +61 [0] 7 3162 7724

Syd Office +61 [0] 2 8311 9701

Email: info@italiangelato.com.au

www.italiangelato.com.au

Num. P	Number of doors for each counter table (Ex. 3P - Table with 3 doors)
Num. TV	Number of temperatures for each wine cabinet (Ex. 2TV - Wine cabinet performing 2 temperatures)
Num. V	Number of doors for each counter table (Ex. 3V - Table with 3 doors)
BIS	Display cabinet performing positive or negative temperature
BM	Basins heated by bain-maire system
BTFC	Static with fan assistance, low temperature cabinet with blind door
BTQ	Ventilated display freezer with crystal shelves
BTV	Ventilated display freezer with wiring shelves
DA	"Dry Aged", specific display cabinet for dr-aged meat
FG	"Full Glass", structural glass door
G	Ventilated display chiller with wiring shelves
GBT	Static display freezer with fixed evaporating shelves
GN	Equipment arranged to host gn basins
GS	Static display chiller with wiring shelves
GV	Ventilated display chiller with wiring shelves
I	Built-in equipment
M	Buffet/drop-in with motorized hood
P	Equipment to be positioned at the wall
PS	Equipment with sliding doors
Q	Ventilated display chiller with crystal shelves
QB	Ventilated low display chiller with crystal shelves
R	Ventilated display chiller with rotating glass shelves
RBT	Ventilated display freezer with rotating glass shelves
RG	Ventilated display chiller with rotating glass shelves and wiring shelves
RI	Ice-cream showcase with reserve room
SG	Equipment without compressor, already arranged for remote system
SP	Display cabinet without panels
SS	Self-service equipment
VC	Showcase with curved glass
VD	Showcase with flat glass
VDB	Showcase with low flat glass
VFS	Buffet with sliding glass doors on operator side and fixed glass on client side
VT	Ventilated tank
VU	Display cabinet with just one compartment
V	Vertical
O	Horizontal



C O L D
E N G I N E E R I N G

TECFRIGO



ItalianGelato
Concepts
dessert projects & equipment supply

Italian Gelato Concepts Pty Limited Unit 1,
37 Mortimer Road
Acacia Ridge Qld 4110

Bris Office: +61 [0] 7 3162 7724

Syd Office +61 [0] 2 8311 9701

Email: info@italiangelato.com.au

www.italiangelato.com.au